



www.yourgicenter.com
facebook.com/yourgicenter
Email: hello@yourgicenter.com
Toll free: 888-292-0010
Fax: 979-292-0488

Plenvu 1.5X Procedure Instructions

Your Check-In Time is: \_\_\_\_\_ Date: \_\_\_\_\_

Location of Procedure:

The GI Center
109 Parking Way
Lake Jackson, TX 77566
(979) 292-0033

Pearland Center
2404 Smith Ranch Rd. #200
Pearland, TX 77584
(713) 436-8171

Hospital

You Will Need to Purchase:

You will need to purchase: A) Your prep (we sent the prescription to your pharmacy) and B) Dulcolax laxative tablets (over the counter)

Checking In:

Your check-in time is NOT your procedure time. It is merely the time we wish for you to begin the check-in process. Please sign in at the front window.

Plan on being here for approximately 3 hours (for the entire process from checking in to being discharged). There are many factors that affect this, so your ride will need to be flexible in their ability to pick you up when needed. Please have the phone number of your ride available for us.

Cancellation Policy:

Our office requires a 24 hour notice to cancel or reschedule your appointment. If we are not given 24 hours advance notice, a \$200 cancellation fee will be billed to you.

If you need to cancel or reschedule your procedure, please call the facility your procedure is scheduled to take place at.

Food/Drink:

DO NOT EAT OR DRINK ANYTHING AFTER MIDNIGHT EXCEPT FOR medications approved on back page, and except for prep if having a colonoscopy. No ice, liquids, gum, mints, toothpicks, chewing tobacco, smoking, etc. This is a safety issue with being sedated.

Transportation:

You MUST have a ride to and from your procedure. You will be sedated for your procedure and will not be able to drive for 12 hours. It is critical that you give us an accurate phone number for your ride so that we may contact them when/if necessary. Please advise your

(turn page over)

www.yourgicenter.com

Pearland
2404 Smith Ranch Rd#200
Pearland, TX 77584
713-436-8171

Friendswood
1305 Parkwood Ave
Friendswood, TX 77546
832-808-9872

Lake Jackson
109 Parking Way
Lake Jackson, TX 77566
979-292-0033

Bay City
720 Avenue F North
Bay City, TX 77414
979-292-0033



[www.yourgicenter.com](http://www.yourgicenter.com)  
facebook.com/yourgicenter  
Email: hello@yourgicenter.com  
Toll free: 888-292-0010  
Fax: 979-292-0488

ride to answer their phone from unknown numbers on your procedure day as we may be attempting to call them.

**If you do not have a ride in a timely manner, a cab may be called for you at YOUR expense at the discretion of our physicians or Nurse Manager.**

### **Medications:**

**Blood Thinners: Prescription blood thinners **MUST** be stopped prior to the procedure (Aspirin is okay to take unless specifically instructed otherwise):**

- **Coumadin, Warfarin, Plavix:** must be stopped **5 days** prior to procedure.
- **Xarelto, Aggrenox, Eliquis, Pradaxa:** must be stopped **2 days** prior to procedure.

**Diabetic Medications: Do NOT take any diabetic medications (pills or injections) on the morning of your procedure.**

**Weight Loss Medications: If you take PHENTERMINE or any other WEIGHT LOSS MEDICATION, you must be off of it for TWO WEEKS prior to your procedure. There are side effects with Propofol.**

**\*\*ALL OTHER MEDICATIONS CAN BE TAKEN WITH A SMALL SIP OF WATER\*\***

**PLEASE TAKE ALL MEDICATIONS FOR: blood pressure, heart arrhythmias, seizures, mental/emotional disorders, asthma/COPD the morning of your procedure with a small sip of water.**

If you use a **nebulizer**, please do a breathing treatment prior to your arrival.

If you use an **inhaler**, feel free to use it and bring with you to your procedure.

**Dialysis Patients: If you are on DIALYSIS, you **MUST** have labwork (potassium level) drawn within 24 hours of your procedure. **If you do not have an order, please contact us for one.****

### **Results:**

Your results will be discussed with you and/or your ride if you allow. This will be a brief overview of what was observed and performed during your procedure along with any further tests you need to have performed. A more detailed explanation and results of any biopsies will be discussed at your follow up appointment.

www.yourgicenter.com

Pearland  
2404 Smith Ranch Rd#200  
Pearland, TX 77584  
713-436-8171

Friendswood  
1305 Parkwood Ave  
Friendswood, TX 77546  
832-808-9872

Lake Jackson  
109 Parking Way  
Lake Jackson, TX 77566  
979-292-0033

Bay City  
720 Avenue F North  
Bay City, TX 77414  
979-292-0033



[www.yourgicenter.com](http://www.yourgicenter.com)  
facebook.com/yourgicenter  
Email: hello@yourgicenter.com  
Toll free: 888-292-0010  
Fax: 979-292-0488

- **Two days before Colonoscopy:**
  - Take 2 Dulcolax tabs by mouth by 5 PM
  - Regular Diet this day.
- **The day before your Colonoscopy:**
  - Follow a clear liquid diet for all day.
  - **1<sup>st</sup> dose** - 7 PM drink one dose of Plenvu followed by 16 ounces of water. **Make sure to mix Plenvu for 4 minutes continuously.**
  - **2<sup>nd</sup> dose** - 11 PM drink one dose of Plenvu followed by 16 ounces of water. **Make sure to mix Plenvu for 4 minutes continuously.**
- **The day of your Colonoscopy:**
  - Take the **3<sup>rd</sup> dose** of Plenvu followed by 16 ounce glasses of water.  
**Complete this AT LEAST 4 hours before your check in time, with nothing further by mouth (no liquids, mints, gum, chewing tobacco, etc.). **Again mix Plenvu for 4 minutes continuously.****

\*Clear liquids include all of the following that are not colored red or purple. Strained fruit juices **without** pulp only (apple, white grape, lemonade), water, clear broth or bouillon, coffee (without milk or nondairy creamer), Gatorade, carbonated and noncarbonated soft drinks. Kool-Aid, (or other fruit flavored drinks), plain jello (without added fruit or topping) and ice popsicles. Look under tab for DIETS in our website at [www.yourgicenter.com](http://www.yourgicenter.com) and get detail list of foods for Clear Liquid Diets

\*\*Bowel movements should be liquid and without particles/pieces of solid stool.

- See attached information for **CLEAR LIQUID DIET**.
- If you are experiencing low sugar symptoms, **IMMEDIATELY** take some sugar solution or clear juice such as Apple Juice.
- No smoking after midnight.
- Do not take fish oil, vitamin A, or any other oil based medication or vitamins for 3 days prior to your procedure..
- If you are taking **PHENTERMINE** or any other **WEIGHT LOSS MEDICATION**, you must be off of it for **TWO WEEKS** prior to your procedure. There are side effect with Propofol.

w w w . y o u r g i c e n t e r . c o m

Pearland  
2404 Smith Ranch Rd#200  
Pearland, TX 77584  
713-436-8171

Friendswood  
1305 Parkwood Ave  
Friendswood, TX 77546  
832-808-9872

Lake Jackson  
109 Parking Way  
Lake Jackson, TX 77566  
979-292-0033

Bay City  
720 Avenue F North  
Bay City, TX 77414  
979-292-0033



[www.yourgicenter.com](http://www.yourgicenter.com)  
facebook.com/yourgicenter  
Email: [hello@yourgicenter.com](mailto:hello@yourgicenter.com)  
Toll free: 888-292-0010  
Fax: 979-292-0488

w w w . y o u r g i c e n t e r . c o m

Pearland  
2404 Smith Ranch Rd#200  
Pearland, TX 77584  
713-436-8171

Friendswood  
1305 Parkwood Ave  
Friendswood, TX 77546  
832-808-9872

Lake Jackson  
109 Parking Way  
Lake Jackson, TX 77566  
979-292-0033

Bay City  
720 Avenue F North  
Bay City, TX 77414  
979-292-0033